



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

NOTICE INVITING QUOTATION (NIQ)

ET-NIQ-4811-DT-13/01/2020

Online Tenders in 02 Bid System (Technical and Financial) are invited from manufacturer of nationally/internationally reputed brand or its Authorized dealer or distributor for supply, installation & commissioning etc. of the following furnitures required for Tezpur University.

Please read the NIQ document carefully before participating. It shall be deemed that submission of bid by the bidder has been done after their careful study and examination of the NIQ terms with full understanding to its implications. Any lack of information shall not in any way relieve the bidder of its responsibility to fulfill its obligations under the Bid.

The University will reject a proposal for award if it determines that the bidder recommended for award has engaged in corrupt or fraudulent practices in competing for, or in executing, the Purchase Order. Fraudulent Practice means a misrepresentation of facts in order to influence a procurement process and includes collusive practice among bidders (prior to or after Bid submission) designed to establish Bid prices at artificial non-competitive levels and to deprive Tezpur University of the benefits of free and fair competition. Corrupt Practice means offering, giving, receiving or soliciting of anything of value, pressurizing to influence the action of a public official in the process of this purchase execution.

For any queries/doubt please contact the Stores & Purchase Section (e-mail: snp@tezu.ernet.in).

Items:

Sl. No	Item	Approx Quantity	Approximate Total Value in ₹
1	Desk cum Bench 2 seater	100	110.0 lacs
2	Desk cum Bench 3 seater	300	
3	Table 4ft with Single Drawer Unit	15	
4	Full secretariat Table	60	
5	Executive Table	01	
6	Computer Table	70	
7	Table 3 ft with Single Drawer Unit	250	
8	Half secretariat Table	40	
9	Mutlipurpose Table	01	
10	Table 4ft with three drawer Unit	10	
11	Conference Table 4 seater	01	
12	Conference Table 12 seater	01	
13	Conference Table 40 seater	01	
14	Centre Table	07	



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

Note:

- *The total value/quantity of purchases may differ from the tender value/quantity and will be as per fund available on the date of placement of order(s).*
- *The bidder(s) are asked to visit the site before submitting their bids specially for items mentioned at SI No. 11-13.*

(Detail Technical Specification/Compliance Sheet, Checklist of uploaded/attached documents and BoQ are attached/uploaded separately)

General Information about the NIQ

Last date and time for submission of Bids: 27.01.2020 (2.00 PM)

Date and Time of opening of Bids: 28.01.2020 (4.00 PM)

Place of Opening of Bids: Tezpur University

Qualifying Criteria:

1. The bidder should be a manufacturer of nationally/Internationally reputed brand or its Authorized dealer or distributor. Either the bidder or the manufacturer shall have experience in dealing with the similar kind of supply and Installation at Central Govt./State Govt./Institute of National Importance/Educational/ Research Institutes. A copy of the purchase orders received from any of these institutes during the last three (03) years along with satisfactory completion certificate from the user(s) having minimum-
 - a. Single order of 80% value of the estimated tender value to be submitted along with the technical bid or
 - b. Two single orders of 40% value of the estimated tender or
 - c. Three single orders of 25% value of the estimated tender.
2. Literature a must: All the quotations must be supported by technical leaflet/literature and the specifications mentioned in the quotation must be reflected/ supported by such technical leaflet/ literature.
3. After Sales Service: Having local office at Assam, preferably at Ghy/Tezpur for after sales support from last 3 years minimum documents supporting the same should be enclosed. Service against any complaint must be attended within 02 working days.
4. Dealership Certificate: Dealers or Agents quoting on behalf of Manufacturer must submit valid authorisation certificate. Manufacturers should submit SSI/EMII or relevant documents.
5. Quality & Safety Certificates: The manufacturer should be ISO certified, and shall have to submit quality certificates like ISO-9001, ISO-14001 or latest, and BIFMA certificate etc. Green Guard Certification for some of the quoted items is also desirable.
6. Turnover minimum 1 Cr in last three years.
7. The Purchase committee may call for sample of item quoted/ordered and describe the quoted specification. Committee shall approve the items as per sample to be supplied by the successful bidder(s).

(Handwritten signature)



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

GENERAL TERMS & CONDITIONS:

1. No separate tender paper will be issued from the office; one should only download the specifications from the CPP Portal of Govt. of India or the Tezpur University website (www.tezu.ernet.in).
2. **GST: As per Gol Notification dated 14.11.2017 GST % for Public Funded Research Institution or a University has been reduced to 5% for certain goods and services. Hence, reduced rate of GST shall be paid if applicable on the tendered items. Exemption Certificate will be provided on request.**
3. **Rates:** Rates quoted should be on **FOR Tezpur University, Napam, Tezpur, Door Delivery Basis**, for indigenous items and **CIP Tezpur University, Napam, Tezpur or Delivered Duty Paid**, for imported item. Failure to comply with this term may lead to rejection of the quotation.
4. **Quotations should be accompanied by** i) An **EMD** (in the form of Demand Draft/Banker Cheque) for ₹ 2,20,000.00 (Rupees Two Lakh Twenty Thousand) only drawn in favor of Registrar, Tezpur University, payable at Tezpur. **No request for consideration of earlier deposited EMD will be considered.** ii) A non-refundable application (quotation/participation) fee of ₹ 5000.00 (Rupees Five Thousand) only must be paid only by Demand Draft/Banker Cheque drawn in favour of Registrar, Tezpur University payable at Tezpur. iii) **The original copies of the EMD & Quotation/Participation Fee should be deposited/submitted/reach the office of the undersigned before opening of the Bids in an envelope superscribed as "Quotation/Participation Fee and EMD for ET-NIQ-...4811.....DT-...13/11/2020... addressed to the Assistant Registrar-GA, Tezpur University. Failure to do so may result in rejection of the bid.**
5. **Exemption:** To Bidders who are MSME/NSIC registered may claim exemption from payment of EMD only subject to submission of valid documents in support of their claim. **Payment of tender fee is a must and is not exempted. However, the University will make provisions for the tender documents free of cost in its website as well as in CPPP Portal.**
6. The rates should be exclusive of taxes and applicable tax % should be clearly indicated.
7. **Validity of Quotation:** Quoted rates must be valid for at least **180 days** from the last date of submission of quotation.
8. Applicable levies, surcharge and discounts should be clearly indicated item wise.
9. The rates should be quoted along with supporting documents of specifications and technical features and list of users, wherever applicable.
10. The system must be installed at the laboratory wherever applicable, and after installation a basic training must also be provided by the supplier or their Indian counterpart without any additional costs.
11. **Technical Evaluation:** Technical bids will be evaluated and ranked by the award ACCEPT & REJECT. The price bids of ACCEPTED vendors would then be considered by the concerned Purchase Committee of the institute.
12. **After Sales Service Guidelines:** In case of imported goods, bidders should clearly state the detailed address, contact number and email ids of 'after sales service centre' preferably in Tezpur/Guwahati, India or any place in Assam without which their offers shall be liable for rejection. Service against any complaint must be provided within 24 hours
13. **Dealership Certificate:** Dealers or Agents quoting on behalf of Manufacturer must upload valid dealership certificate.

(Handwritten signature)



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

14. **Quality Certificates:** Valid certificate to prove that the products are genuine and of International standard, as mentioned below, must be uploaded: (a) Manufacturer's certificate; (b) ISO/ISI certificate.
15. **Performance Bank Guarantee:** If PO value is above Rs.5 Lakhs, the successful bidder, to whom the PO is placed, shall furnish an unconditional Performance Bank Guarantee from a scheduled Bank of India, for 10% of the Purchase Order value, alongwith the Bill/Invoice. The format for PBG if required; will be provided on request. In case of foreign purchase, the local Agent shall submit the PBG. Where the PBG is to be necessarily given by a foreign bank it shall be endorsed by its counterpart in India. Validity of the PBG, which shall be effective from the date mentioned therein, shall be *warranty period + 2 months before and 3 months after the warranty period.*
 - a. **By submitting the PBG, the vendor is understood to have guaranteed that,**
 - i. The Purchase Order (PO) shall be executed as per terms and conditions mentioned therein.
 - ii. The vendor shall at his/their own cost rectify/replace the defects, if any, during the guarantee period.
 - iii. The guarantee is to the extent of 10% of the order value.
 - b. **Condition for invoking PBG:** In case of failure to comply with the guarantees above, Tezpur University, Napam, Tezpur may terminate the contract / purchase order in whole or in part and forfeit the PBG. In addition, Tezpur University, Napam, Tezpur, at its discretion, procure upon such terms and in such manner as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier/vendor shall be liable to compensate Tezpur University, Napam, Tezpur for any extra expenditure involved."
16. **Genuine Pricing:** Vendor is to ensure that quoted price is not more than the price offered to any other customer in India to whom this particular item has been sold, particularly to Universities/IITs/Institutes and other Government Organization.
17. **Payment:** 100% payment after successful delivery, installation and commissioning and acceptance by the user. **Please note that as per University's norm advance payment is not allowed for indigenous purchase.**
18. **PENALTY FOR DELAYED DELIVERY:** The date of delivery should be strictly adhered to. In the event of delayed delivery, installation & commissioning, the vendor shall be liable for a penalty deduction as per prevailing rule
19. Demonstration may be sought from the vendors for authentication of quoted specification.
20. The University is exempted from paying Custom and Excise duty.
21. **Warranty:** 02 (Two) year on-site comprehensive OEM warranty including the manufacturing defects
22. No Advance payment will be made. However, for foreign supplies, advance payment will be made either by LoC. In such cases 10% Performance Bank Guarantee should be submitted before opening of the LoC.
23. Items of Foreign origin should have Insurance up to installation on site.
24. The University reserves the right to accept or reject any or all the quotations without assigning any reason.
25. Irresponsive/incomplete quote will be rejected.
26. **Award:** The Final Award will be given to the vendor, selected by the Purchase Committee on the lowest quote basis.

HA



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

27. **Conditional tenders not acceptable:** All the terms and conditions mentioned herein must be strictly adhered to by all the vendors. Conditional tenders shall not be accepted on any ground and shall be rejected straightway. Printed conditions mentioned in the tender bids submitted by vendors will not be binding on Tezpur University.

28. **Enquiry during the course of evaluation not allowed:** No enquiry shall be made by the bidder(s) during the course of evaluation of the tender till final decision is conveyed to the successful bidder(s). However, the Purchase Committee or its authorized representative (Tezpur University) can make any enquiry/seek clarification from the bidders. In such a situation, the agency shall extend full co-operation. The bidders may also be asked to arrange demonstration of the offered items, in a short period notice, as such the bidders have to be ready for the same.

29. **Force Majeure:**

If the performance of the obligation of either party is rendered commercially impossible by any of the events hereafter mentioned that party shall be under no obligation to perform the agreement under order after giving notice of 15 days from the date of such an event in writing to the other party, and the events referred to are as follows:

- I) any law, statute or ordinance, order action or regulations of the Government of India,
- II) Any kind of natural disaster, and
- III) Strikes acts of the Public enemy, war, insurrections, riots, lockouts, sabotage.

Termination for default: Default is said to have occurred

- a. If the equipment or any of its component is found having poor workmanship, faulty designs, poor performance and bad quality of materials used.
- b. If the supplier fails to deliver any or all of the services within the time period(s) specified in the purchase order or any extension thereof granted by Tezpur University.
- c. If the supplier fails to perform any other obligation(s) under the contract.
- d. Under the above circumstances Tezpur University may terminate the contract / purchase order in whole or in part and forfeit the EMD/PBG as applicable. In addition to above, Tezpur University may at its discretion also take the following actions: Tezpur University may procure, upon such terms and in such manner, as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier shall be liable to compensate Tezpur University for any extra expenditure involved towards goods and services obtained. Besides, the Vice-Chancellor, Tezpur University, reserves the right to impose any other form of penalty as deemed fit including blacklisting of the vendor.

30. **Selection criteria:**

Evaluation Criteria:

Technical criteria will be evaluated and ranked by the award of ACCEPT and/or REJECT. Only the ACCEPTED vendors will be considered for price bid. In case a joint venture makes a bid, any one of the members of the joint venture need to be qualified for each of the criteria mentioned below.

Eligibility Criteria:

- The bidder or the OEM should not be blacklisted by Tezpur University or any other Educational /R&D/ PSU/ Govt organizations. A certificate or undertaking to this effect must be submitted.



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

Note: The bidders should provide sufficient documentary evidence to support the eligibility criteria.

31. Applications for release of EMD should be submitted to the Registrar/ Joint Registrar-GA/Assistant Registrar-GA, Tezpur University.
32. Apart from the above terms and conditions the University has the right to include any other terms and conditions as and when felt necessary.

INSTRUCTIONS TO BIDDERS FOR ONLINE BID SUBMISSION

Instructions to the Bidders to submit the bids online through the Central Public Procurement Portal for e Procurement at <http://eprocure.gov.in/eprocure/app>

1. Possession of valid Digital Signature Certificate (DSC) and enrollment/registration of the agencies/bidders on the e-Procurement/e-tender portal is a prerequisite for e-tendering.
2. Bidder should do the enrollment in the e-Procurement site using the "Online Bidder Enrollment" option available on the home page. Portal enrollment is generally free of charge. During enrollment/registration, the bidders should provide the correct/true information including valid email id. All the correspondence shall be made directly with the agency/bidder through email id provided.
3. Bidder need to login to the site through their user ID/ password chosen during enrollment/registration.
4. Then the Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by SIFY/TCS/nCode/eMudra or any Certifying Authority recognized by CCA India on eToken/SmartCard, should be registered.
5. The DSC that is registered only should be used by the bidder and should ensure safety of the same.
6. Agency/Bidder may go through the tenders published on the site and download the required tender documents/schedules for the tenders he/she is interested.
7. After downloading / getting the tender document/schedules, the Bidder should go through them carefully and then submit the documents as asked, otherwise bid will be rejected.
8. If there are any clarifications, this may be obtained online through the tender site, or through the contact details. Bidder should take into account the corrigendum published before submitting the bids online.
9. Bidder then logs in to the site through the secured log in by giving the user id/ password chosen during enrolment/registration and then by giving the password of e-Token/Smartcard to access DSC.
10. Bidder selects the tender which he/she is interested in by using the search option & then moves it to the 'my tenders' folder.
11. From my tender folder, he selects the tender to view all the details indicated.
12. It is construed that the bidder has read all the terms and conditions before submitting their offer. Bidder should go through the tender schedules carefully and upload the documents as asked; otherwise, the bid will be rejected.
13. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender documents/schedule and generally, they can be in PDF/xls/rar/jpg/dwf formats. If there is more than one document, they can be clubbed together and can be provided in the requested format. Bidders Bid documents may be scanned with 100 dpi with black and white option. It is advisable that each document to be uploaded through online for the tenders should be less than 2 MB. If any document is more than 2MB, it can be reduced through rar and the same can be uploaded, if permitted. However, if the file size is less than 1 MB the transaction uploading time will be very fast.
14. If there are any clarifications, this may be obtained through the site. Bidder should take into account the corrigendum published from time to time before submitting the online bids.
15. The Bidders can update well in advance, the documents such as certificates, annual report details etc., under My Space option and these can be selected as per tender requirements and then send along with bid documents during bid submission. This will facilitate the bid submission process faster by reducing upload time of bids.

✓



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY
(केंद्रीय विश्वविद्यालय / A Central University)
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

16. Bidder should submit the Tender Fee/EMD as specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission due date & time for the tender or as indicated in the tender. Scanned copy of the instrument should be uploaded as part of the offer.
17. While submitting the bids online, the bidder reads the terms & conditions and accepts the same to proceed further to submit the bid packets.
18. The bidder has to select the payment option as offline to pay the Tender Fee/EMD as applicable and enter details of the instruments.
19. The details of the DD/ any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise submitted bid will not be acceptable or liable for rejection.
20. The bidder has to digitally sign and upload the required bid documents one by one as indicated. Bidders to note that the very act of using DSC for downloading the bids and uploading their offers shall be deemed to be a confirmation they have read all sections and pages of the bid document including General conditions of contract without any exception and have understood the entire document and are clear about the requirements of the tender requirements.
21. The bidder has to upload the relevant files required as indicated in the cover content. In case of any irrelevant files, the bid will be rejected.
22. If the price bid format is provided in a spread sheet file like BoQ_xxxx.xls, the rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Price-bid BOQ template must not be modified/replaced by the bidder; else the bid submitted is liable to be rejected for this tender.
23. The bidders are requested to submit the bids through online e-tendering system to the Tender Inviting Authority (TIA) well before the bid submission end date & time (as per Server System Clock). The TIA will not be held responsible for any sort of delay or the difficulties faced during the submission of bid online by the bidders at the eleventh hour.
24. After the bid submission (i.e. after Clicking "Freeze Bid Submission" in the portal), the acknowledgement number, given by the system should be printed by the bidder and kept as a record of evidence for online submission of bid for the particular tender and will also act as an entry pass to participate in the bid opening date.
25. The time settings fixed in the server side & displayed at the top of the tender site, will be valid for all actions of requesting, bid submission, bid opening etc., in the e-tender system. The bidders should follow this time during bid submission.
26. All the data being entered by the bidders would be encrypted using PK! encryption techniques to ensure the secrecy of the data. The data entered will not viewable by unauthorized persons during bid submission & not be viewable by any one until the time of bid opening.
27. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers' public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
28. The confidentiality of the bids is maintained since the secured Socket Layer 128-bit encryption technology is used. Data storage encryption of sensitive fields is done.
29. The bidder should logout of the tendering system using the normal logout option available at the top right-hand corner and not by selecting the (X) exit option in the browser.
30. For any queries regarding e-tendering process, the bidders are requested to contact as provided in the tender document. Parallely for any further queries, the bidders are asked to contact over phone: 180030702232 or send a mail over to cppp-nic@nic.in.

Joint/Assistant Registrar-GA
Tezpur University

Technical Specifications cum Compliance Report
(To be submitted on Company's/Firm's Letterhead Signed and Sealed)

Item	Technical Specifications	Complied (Yes/No)	Remarks, if any;
Desk cum Bench 2 seater	Desk Cum Bench size should be 1500 Width mm x 895 Depth mm x 750 Height mm. Top & Seat Panel should be 18 mm thick PLB (pre - laminated board) with Back panel should be 18 mm thick PLT. The Understructure should be MS SQ tubes of size 25.4 mm x 1.2 mm Plus there should also be a storage Shelf.		
Desk cum Bench 3 seater	Desk Cum Bench size should be 1800 Width mm x 895 Depth mm x 750 Height mm. Top & Seat Panel should be 18 mm thick PLB (pre - laminated board) with Back panel should be 18 mm thick PLT . The Understructure should be MS SQ tubes of size 25.4 mm x 1.2 mm Plus there should also be a storage Shelf . Also the seating capacity shall be 3.		
Table 4ft with Single Drawer Unit	The Size of the Table should be 1199 mm W x 590mm D x 750mm H with a single drawer unit. The worktop should be made of 18mm Thick pre laminated board (PLB) and the worksurface edges should be duly sealed with 2 mm thick Pre PVC Beading. The understructure should be made of CRCA MS Sheet of 0.9mm Thick and the tubular frame should be made of ERW Square tubes of size 25.4mm x 25.4mm x 1.2mm thick The modesty panel should be made of 1.0mm Thick CRCA MS Sheet. The shell of the drawer unit should be made of 0.5mm thick CRCA MS. The drawer tray should be made of 0.6mm thick CRCA MS and the drawer front should be made of 0.6mm thick CRCA MS and the drawer front should be made of 0.8mm Thick CRCA MS Sheet		
Full secretariat Table	Table size should be 1665 Width x 900 Depth x 750 Height . The top panels should be made from 25 +/- 0.5 mm thick Pre - laminated boards with 2 mm thick PVC edge banding on all sides . Understructure should be made from 0.9 mm +/- 0.09 mm thick powder coated 50 microns (+/-10) CRCA MS. Tubular Frame should be sq. 25.4 +/- 0.3 mm x 1.2 +/- 0.096 mm thick MS ERW tube .Modesty panel should be made from 1.0 +/- 0.09 mm thick powder coated 50 microns (+/- 10). The Storage should be having shell 0.5 +/- 0.07 mm thick CRCA MS plus drawer tray 0.5 +/- 0.07 mm thick CRCA MS plus drawer front 0.8 +/- 0.1 mm thick CRCA MS . Also there should be 10 lever cam lock plus handles built in plastic.		
Executive Table	Table size should be 1800 Width mm x 900 Depth mm x 725 Height mm.The Top shall be 25 mm thick pre-laminated board with 2 mm thick matching lipping stiffener provided under the top to give addition strength(1.6 mm thick MS).The Understructure should be having pedestal of combination of processed wood (PLB) and mild steel (MS).There should be 2 box drawers plus 1 filling drawer combination for both pedestals the pedestal shell should be 0.8 mm thick MS plus the drawer tray and separator should be 0.6 mm thick MS. There should be sleek handles for		



	easy grip , glide screws for leveling and also independent locking arrangement for each pedestal. The Modesty should be of MS panel (1.0 mm thick) recessed inside for more leg room. Panel should be styled with cutouts (windows).		
Computer Table	Dimensions: W 900 X D 500 X H 750Material: Top 18 mm Melamine laminated Particle Board & rest 15 mm Paper laminated Particle board. Hardware: Screw, KD Fittings, Slides & Castors. Construction: Knock down .Load Bearing Capacity: 30 Kgs.Packets: 1 No. Finish: Melamine laminated Top & rest Paper lamination.		
Table 3 ft with Single Drawer Unit	Table should be 900 Width x 590 Depth x 750 Height . The top panels should be made from 18 +/- 0.5 mm thick Pre - laminated boards as per with 2 mm thick PVC edge banding on all sides . Understructure should be made from 0.9 mm +/- 0.09 mm thick powder coated 50 microns (+/-10) CRCA MS. Tubular Frame should be sq. 25.4 +/- 0.3 mm x 1.2 +/- 0.096 mm thick MS ERW tube .Modesty panel should be made from 1.0 +/- 0.09 mm thick powder coated 50 microns (+/- 10). The Storage should be having shell 0.5 +/- 0.07 mm thick CRCA MS plus drawer tray 0.5 +/- 0.07 mm thick CRCA MS plus drawer front 0.8 +/- 0.1 mm thick CRCA MS . Also there should be 10 lever cam lock plus handles built in plastic.		
Half secretariat Table	Table size should be 1365 Width x 680 Depth x 735 Height . The top panels should be made from 18 +/- 0.5 mm thick Pre - laminated boards as per with 2 mm thick PVC edge banding on all sides . Understructure should be made from 0.9 mm +/- 0.09 mm thick powder coated 50 microns (+/-10) CRCA MS. Tubular Frame should be dia. 25.4 +/- 0.3 mm x 1.2 +/- 0.096 mm thick MS ERW tube. Modesty panel should be made from 1.0 +/- 0.09 mm thick powder coated 50 microns (+/- 10). The Storage should be having shell 0.5 +/- 0.07 mm thick CRCA MS plus drawer tray 0.5 +/- 0.07 mm thick CRCA MS plus drawer front 0.8 +/- 0.1 mm thick CRCA MS . Also there should be 10 lever cam lock plus handles built in plastic.		
Mutlipurpose Table	Table size should be 2567 Width mm x 894 Depth mm x 750 Height mm . Top should be made of 25 mm thick Pre- Laminated board with 2 mm thick . PVC edge beading . The Understructure should be having leg tube made from MS ERW also the top support should be made from MS ' U ' brackets (3 nos.) welded to 63.5 mm dia. x 1.6 mm thick MS ERW tube fixed on top of the wooden Top using self - tapping screws , Finish - powder coated (avg . thick 40 microns) . Base : Made from MS ERW tubes , formed at one end & welded at other with MS ERW tube fixed at the bottom of the level adjustment facility. Finishing shall be of Chromium (0.2 - 0.5 microns) over nickel plating (10-15 microns) . The Modesty should be Pre- Laminated Particle boards with matching PVC lipping of 1 mm thick along edges .		
Table 4ft with three drawer Unit	Table size should be 1199 Width x 590 Depth x 735 Height . The top panels should be made from 18 +/- 0.5 mm thick Pre - laminated boards as per with 2 mm thick PVC edge banding on all sides . Understructure should be made from 0.9 mm +/- 0.09 mm		

	thick powder coated 50 microns (+/-10) CRCA MS. Tubular Frame should be dia. 25.4 +/- 0.3 mm x 1.2 +/- 0.096 mm thick MS ERW tube . Modesty panel should be made from 1.0 +/- 0.09 mm thick powder coated 50 microns (+/- 10). The Storage should be having shell 0.5 +/- 0.07 mm thick CRCA MS plus drawer tray 0.5 +/- 0.07 mm thick CRCA MS plus drawer front 0.8 +/- 0.1 mm thick CRCA MS . Also there should be 10 lever cam lock plus handles built in plastic.		
Conference Table 4 seater	Conference Table size should be seats (1) 675 Width mm x 600 D epth mm x 750 Height mm , seats (2) 1350 Width mm x 600 Depth mm x 750 Height mm . Top should be 25 mm PLB thick With PVC beading all over . In Understructure legs should be made from 18 mm thick PLT having curved profile plus Modesty should be made from PLT (pre - laminated twin) boards 18 mm thick in two shades . Wire manager should be running along the width of desk fitted on the modesty panel from inside.		
Conference Table 12 seater	Conference Table size should be seats (1) 675 Width mm x 600 D epth mm x 750 Height mm , seats (2) 1350 Width mm x 600 Depth mm x 750 Height mm . Top should be 25 mm PLB thick With PVC beading all over . In Understructure legs should be made from 18 mm thick PLT having curved profile plus Modesty should be made from PLT (pre - laminated twin) boards 18 mm thick in two shades . Wire manager should be running along the width of desk fitted on the modesty panel from inside.		
Conference Table 40 seater	Conference Table size should be seats (1) 675 Width mm x 600 D epth mm x 750 Height mm , seats (2) 1350 Width mm x 600 Depth mm x 750 Height mm . Top should be 25 mm PLB thick With PVC beading all over . In Understructure legs should be made from 18 mm thick PLT having curved profile plus Modesty should be made from PLT (pre - laminated twin) boards 18 mm thick in two shades . Wire manager should be running along the width of desk fitted on the modesty panel from inside.		
Centre Table	materials & dimension (+/- 2mm)- 1100*645*450*440*210*10 chair frame materials & size:- table legs materials & size : metal round tube-l x w x t-dia25x1.2 Preferred color : chrome table top materials & size : (density / type) oval glass- l x w x t -top: 1100x650x10mm l x w x t-600x400x8mm Preferred color : partial black color: full black bottom finishing: black top and chrome frame and legs		

ET-NIQ-.....DT.....

LIST OF DOCUMENTS/CERTIFICATES ATTACHED/UPLOADED

Sl. No	Documents/Certificates	Attached (Yes/ if Not why,)	Page/Appendix No. (if attached)
1	Copies of the purchase orders		
2	Dealership Certificate		
3	Quality & Safety Certificates:		
	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
4	GSTN		
5	PAN/TAN		
6	Tender Fee		
7	EMD		
8	Technical Literature		
9	Manufacturing Authorization Form		
10	Certificate or undertaking of not being blacklisted		
11	Financial Turnover		

Note: Bidders may add additional rows/columns if required.

