



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY  
(केंद्रीय विश्वविद्यालय / A Central University)  
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR  
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

**NOTICE INVITING QUOTATION (NIQ)**

**ET-NIQ-5007.....-DT-23/01/2020.....**

**Online Tenders in 02 Bid System (Technical and Financial)** are invited from manufacturer of nationally/Internationally reputed brand its Authorized dealer or distributor for supply, installation & commissioning etc. of the following furnitures required for the Teaching Learning Centre (TLC), Tezpur University.

Please read the NIQ document carefully before participating. It shall be deemed that submission of bid by the bidder has been done after their careful study and examination of the NIQ terms with full understanding to its implications. Any lack of information shall not in any way relieve the bidder of its responsibility to fulfill its obligations under the Bid.

The University will reject a proposal for award if it determines that the bidder recommended for award has engaged in corrupt or fraudulent practices in competing for, or in executing, the Purchase Order. Fraudulent Practice means a misrepresentation of facts in order to influence a procurement process and includes collusive practice among bidders (prior to or after Bid submission) designed to establish Bid prices at artificial non-competitive levels and to deprive Tezpur University of the benefits of free and fair competition. Corrupt Practice means offering, giving, receiving or soliciting of anything of value, pressurizing to influence the action of a public official in the process of this purchase execution.

The Bidder(s) are asked to inspect the site before submitting their Bid to avoid avoiding future contradictions while executing the order.

For any queries/doubt please contact the Stores & Purchase Section (e-mail: [snp@tezu.ernet.in](mailto:snp@tezu.ernet.in)).

**Items:**

Sl. No	Item	Approx Quantity	Approximate Unit Value in ₹
1	Participants Desk (for 2 user)		34.0 lacs
2	Chairs for Participants Desk - Single		
3	Instructor - Table		
4	Instructor - Chair		
5	Steel Almirah		
6	4 Door Bookcase		
7	Table for Technical Person		
8	Chair for Technical Person		
9	Computer Table		
10	Wooden Platform		

*Open for  
23/01/2020*



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY  
(केंद्रीय विश्वविद्यालय / A Central University)  
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR  
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

11	Bookcase (Almirah with glass door) Library Table (Round table 4-seater)		
12	Library Chair		
13	Round Table (Modular pattern - 4-seater)		
14	Printer Table		
15	Participants - Table (Horseshoe table for 45 participants)		
16	Seminar Room Chair		
17	Reception Table		
18	Chair		
19	Sofa Set for Guests (3 + 1 + 1)		
20	Centre Table		

**(Detail Technical Specification/Compliance Sheet, Checklist of uploaded/attached documents and BoQ are attached/uploaded separately)**

**General Information about the NIQ**

Last date and time for submission of Bids: 05.02.2020 (2.00 PM)

Date and Time of opening of Bids: 07.02.2020 (4.00 PM)

Place of Opening of Bids: Tezpur University

**Note: The total value/quantity of purchases may differ from the tender value/quantity and will be as per fund available on the date of placement of order(s).**

**Qualifying Criteria:**

1. The bidder should be a manufacturer of nationally/internationally reputed brand or its Authorized dealer or distributor. Either the bidder or the manufacturer shall have experience in dealing with the similar kind of supply and Installation at Central Govt./State Govt./Institute of National Importance/Educational/ Research Institutes. A copy of the purchase orders received from any of these institutes during the last three (03) years along with satisfactory completion certificate from the user(s) having minimum-
  - a. Single order of 80% value of the estimated tender value to be submitted along with the technical bid or
  - b. Two single orders of 40% value of the estimated tender or
  - c. Three single orders of 25% value of the estimated tender.
2. Literature a must: All the quotations must be supported by technical leaflet/literature and the specifications mentioned in the quotation must be reflected/ supported by such technical leaflet/ literature.
3. After Sales Service: Having local office at Assam, preferably at Guwahati/Tezpur for after sales support from last 3 years minimum documents supporting the same should be enclosed. Service against any complaint must be attended within 02 working days.

*Handwritten signature and date: 27/01/2020*





तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY  
(केंद्रीय विश्वविद्यालय / A Central University)  
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR  
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

4. Dealership Certificate: Dealers or Agents quoting on behalf of Manufacturer must submit valid authorization certificate. Manufacturers should submit SSI/EMII or relevant documents.
5. Quality & Safety Certificates: The manufacturer should be ISO certified, and shall have to submit quality certificates like ISO-9001, ISO-14001 or latest, and BIFMA certificate etc. Green Guard Certification for some of the quoted items is also desirable.
6. Turnover minimum 1 Cr in last three years.
7. The Purchase committee may call for sample of item quoted/ordered and describe the quoted specification. Committee shall approve the items as per sample to be supplied by the successful bidder(s).

**GENERAL TERMS & CONDITIONS:**

1. No separate tender paper will be issued from the office; one should only download the specifications from the CPP Portal of Govt. of India or the Tezpur University website (www.tezu.ernet.in).
2. **GST: As per Gol Notification dated 14.11.2017 GST % for Public Funded Research Institution or a University has been reduced to 5% for certain goods and services. Hence, reduced rate of GST shall be paid if applicable on the tendered items. Exemption Certificate will be provided on request.**
3. **Rates:** Rates quoted should be on **FOR Tezpur University, Napam, Tezpur, Door Delivery Basis**, for indigenous items and **CIP Tezpur University, Napam, Tezpur or Delivered Duty Paid**, for imported item. Failure to comply with this term may lead to rejection of the quotation.
4. **Quotations should be accompanied by** i) An **EMD (in the form of Demand Draft/Banker Cheque) for ₹ 78,000.00 (Rupees Seventy-Eight Thousand) only drawn in favor of Registrar, Tezpur University, payable at Tezpur. No request for consideration of earlier deposited EMD will be considered.** ii) A non-refundable application (quotation/participation) fee of ₹ 3000.00 (Rupees Three Thousand) only must be paid only by Demand Draft/Banker Cheque drawn in favour of Registrar, Tezpur University payable at Tezpur. iii) **The original copies of the EMD & Quotation/Participation Fee should be deposited/submitted/reach the office of the undersigned before opening of the Bids in an envelope superscribed as "Quotation/Participation Fee and EMD for ET-NIQ-5007.....DT-23/01/2020 addressed to the Assistant Registrar-GA, Tezpur University. Failure to do so may result in rejection of the bid.**
5. **Exemption of EMD:** As per Govt. of India directives/rules to bidders from payment of EMD only subject to submission of valid documents in support of their claim for exemption. **Payment of tender fee is a must and is not exempted. However, the University will make provisions for the tender documents free of cost in its website as well as in CPP Portal.**
6. The rates should be exclusive of taxes and applicable tax % should be clearly indicated.
7. **Validity of Quotation:** Quoted rates must be valid for at least **180 days** from the last date of submission of quotation.
8. Applicable levies, surcharge and discounts should be clearly indicated item wise.
9. The rates should be quoted along with supporting documents of specifications and technical features and list of users, wherever applicable.

*Handwritten signature and date: 23/01/20*



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY  
(केंद्रीय विश्वविद्यालय / A Central University)  
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR  
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

10. The system must be installed at the laboratory wherever applicable, and after installation a basic training must also be provided by the supplier or their Indian counterpart without any additional costs.
11. **Literature a must:** All the quotations must be supported by technical leaflet/literature and the specifications mentioned in the quotation must be reflected/ supported by such technical leaflet/ literature. The model and specifications quoted should **invariably be highlighted** in the leaflet/literature for easy reference.
12. **Technical Evaluation:** The bidder should provide the standard technical literature on the subject offered with dealership certificate of the offered product(s). The offers which do not meet the NIQ required technical specifications will be summarily rejected, from any further consideration. Technical bids will be evaluated and ranked by the award ACCEPT & REJECT. The price bids of ACCEPTED vendors would then be considered by the concerned Purchase Committee of the institute.
13. **After Sales Service Guidelines:** Bidders should clearly state the detailed address, contact number and email ids of 'after sales service centre' preferably in Tezpur/Guwahati, India or any place in Assam without which their offers shall be liable for rejection. Service against any complaint must be provided within 24 hours
14. **Dealership Certificate:** Dealers or Agents quoting on behalf of Manufacturer must upload valid dealership certificate.
15. **Quality Certificates:** Valid certificate to prove that the products are genuine and of International standard, as mentioned below, must be uploaded: (a) Manufacturer's certificate; (b) ISO/ISI certificate.
16. **Performance Bank Guarantee:** If PO value is above Rs.5 Lakhs, the successful bidder, to whom the PO is placed, may have to furnish an unconditional Performance Bank Guarantee from a scheduled Bank of India, for 10% of the Purchase Order value, alongwith the Bill/Invoice. The format for PBG if required; will be provided on request. In case of foreign purchase, the local Agent shall submit the PBG. Where the PBG is to be necessarily given by a foreign bank it shall be endorsed by its counterpart in India. Validity of the PBG, which shall be effective from the date mentioned therein, shall be *warranty period + 2 months before and 3 months after the warranty period.*
  - a. **By submitting the PBG, the vendor is understood to have guaranteed that,**
    - i. The Purchase Order (PO) shall be executed as per terms and conditions mentioned therein.
    - ii. The vendor shall at his/their own cost rectify/replace the defects, if any, during the guarantee period.
    - iii. The guarantee is to the extent of 10% of the order value.
  - b. **Condition for invoking PBG:** In case of failure to comply with the guarantees above, Tezpur University, Napam, Tezpur may terminate the contract / purchase order in whole or in part and forfeit the PBG. In addition, Tezpur University, Napam, Tezpur, at its discretion, procure upon such terms and in such manner as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier/vendor shall be liable to compensate Tezpur University, Napam, Tezpur for any extra expenditure involved."
17. **Genuine Pricing:** Vendor is to ensure that quoted price is not more than the price offered to any other customer in India to whom this particular item has been sold, particularly to

*Signature*  
23/01/24



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY  
(केंद्रीय विश्वविद्यालय / A Central University)  
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR  
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

- Universities/IITs/Institutes and other Government Organization.
18. **Payment:** 100% payment after successful delivery, installation and commissioning and acceptance by the user. **Please note that as per University's norm advance payment is not allowed for indigenous purchase.**
  19. **PENALTY FOR DELAYED DELIVERY:** The date of delivery should be strictly adhered to. In the event of delayed delivery, installation & commissioning, the vendor shall be liable for a penalty deduction as per prevailing rule
  20. Demonstration may be sought from the vendors for authentication of quoted specification.
  21. The University is exempted from paying Custom and Excise duty.
  22. **Warranty:** 02 (Two) year on-site comprehensive OEM warranty including the manufacturing defects
  23. No Advance payment will be made. However, for foreign supplies, advance payment will be made either by LoC. In such cases 10% Performance Bank Guarantee should be submitted before opening of the LoC.
  24. Items of Foreign origin should have Insurance up to installation on site.
  25. The University reserves the right to accept or reject any or all the quotations without assigning any reason.
  26. Irresponsive/incomplete quote will be rejected.
  27. **Award:** The Final Award will be given to the vendor, selected by the Purchase Committee on the lowest quote basis.
  28. **Conditional tenders not acceptable:** All the terms and conditions mentioned herein must be strictly adhered to by all the vendors. Conditional tenders shall not be accepted on any ground and shall be rejected straightway. Printed conditions mentioned in the tender bids submitted by vendors will not be binding on Tezpur University.
  29. **Enquiry during the course of evaluation not allowed:** No enquiry shall be made by the bidder(s) during the course of evaluation of the tender till final decision is conveyed to the successful bidder(s). However, the Purchase Committee or its authorized representative (Tezpur University) can make any enquiry/seek clarification from the bidders. In such a situation, the agency shall extend full co-operation. The bidders may also be asked to arrange demonstration of the offered items, in a short period notice, as such the bidders have to be ready for the same.
  30. **Force Majeure:**

If the performance of the obligation of either party is rendered commercially impossible by any of the events hereafter mentioned that party shall be under no obligation to perform the agreement under order after giving notice of 15 days from the date of such an event in writing to the other party, and the events referred to are as follows:

    - I) any law, statute or ordinance, order action or regulations of the Government of India,
    - II) Any kind of natural disaster, and
    - III) Strikes acts of the Public enemy, war, insurrections, riots, lockouts, sabotage.
- Termination for default:** Default is said to have occurred
- a. If the equipment or any of its component is found having poor workmanship, faulty designs, poor performance and bad quality of materials used.
  - b. If the supplier fails to deliver any or all of the services within the time period(s) specified in the purchase order or any extension thereof granted by Tezpur University.
  - c. If the supplier fails to perform any other obligation(s) under the contract.

*Handwritten signature and date: 25/01/20*



## तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY

(केंद्रीय विश्वविद्यालय / A Central University)

कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

d. Under the above circumstances Tezpur University may terminate the contract / purchase order in whole or in part and forfeit the EMD/PBG as applicable. In addition to above, Tezpur University may at its discretion also take the following actions: Tezpur University may procure, upon such terms and in such manner, as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier shall be liable to compensate Tezpur University for any extra expenditure involved towards goods and services obtained. Besides, the Vice-Chancellor, Tezpur University, reserves the right to impose any other form of penalty as deemed fit including blacklisting of the vendor.

### 31. Selection criteria:

#### Evaluation Criteria:

Technical criteria will be evaluated and ranked by the award of ACCEPT and/or REJECT. Only the ACCEPTED vendors will be considered for price bid. In case a joint venture makes a bid, any one of the members of the joint venture need to be qualified for each of the criteria mentioned below.

#### Eligibility Criteria:

- The bidder or the OEM should not be blacklisted by Tezpur University or any other Educational /R&D/ PSU/ Govt organizations. A certificate or undertaking to this effect must be submitted.

#### Support Criteria:

The Bidder must have experience of supply and maintenance facilities and must have qualified support staff and resident engineers that can provide maintenance support for the hardware and software items concerned and all the items quoted must be covered by these facilities. List of spare items should be mentioned in the quotation. Similarly, all partnerships for maintenance shown as part of the above qualifying criteria must be in existence before the publication of this tender. Documentary proof of this must be provided. The purchaser reserves the right to reject a bid as non- responsive if not satisfied with the level of support as detailed above.

#### Technical Criteria

32. Applications for release of EMD should be submitted to the Registrar/ Joint Registrar-GA/Assistant Registrar-GA, Tezpur University.

33. Apart from the above terms and conditions the University has the right to include any other terms and conditions as and when felt necessary.

### INSTRUCTIONS TO BIDDERS FOR ONLINE BID SUBMISSION

Instructions to the Bidders to submit the bids online through the Central Public Procurement Portal for e Procurement at <http://eprocure.gov.in/eprocure/app>

1. Possession of valid Digital Signature Certificate (DSC) and enrollment/registration of the agencies/bidders on the e-Procurement/e-tender portal is a prerequisite for e-tendering.
2. Bidder should do the enrollment in the e-Procurement site using the "Online Bidder Enrollment" option available on the home page. Portal enrollment is generally free of charge. During enrollment/registration, the bidders should provide the correct/true information including valid email id. All the correspondence shall be made directly with the agency/bidder through email id provided.
3. Bidder need to login to the site through their user ID/ password chosen during enrollment/registration.

*U. J. S. S.*  
23/01/24





**तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY**  
(केंद्रीय विश्वविद्यालय / A Central University)  
**कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR**  
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

4. Then the Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by SIFY/TCS/nCode/eMudra or any Certifying Authority recognized by CCA India on eToken/SmartCard, should be registered.
5. The DSC that is registered only should be used by the bidder and should ensure safety of the same.
6. Agency/Bidder may go through the tenders published on the site and download the required tender documents/schedules for the tenders he/she is interested.
7. After downloading / getting the tender document/schedules, the Bidder should go through them carefully and then submit the documents as asked, otherwise bid will be rejected.
8. If there are any clarifications, this may be obtained online through the tender site, or through the contact details. Bidder should take into account the corrigendum published before submitting the bids online.
9. Bidder then logs in to the site through the secured log in by giving the user id/ password chosen during enrolment/registration and then by giving the password of e-Token/Smartcard to access DSC.
10. Bidder selects the tender which he/she is interested in by using the search option & then moves it to the 'my tenders' folder.
11. From my tender folder, he selects the tender to view all the details indicated.
12. It is construed that the bidder has read all the terms and conditions before submitting their offer. Bidder should go through the tender schedules carefully and upload the documents as asked; otherwise, the bid will be rejected.
13. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender documents/schedule and generally, they can be in PDF/xls/rar/jpg/dwf formats. If there is more than one document, they can be clubbed together and can be provided in the requested format. Bidders Bid documents may be scanned with 100 dpi with black and white option. It is advisable that each document to be uploaded through online for the tenders should be less than 2 MB. If any document is more than 2MB, it can be reduced through rar and the same can be uploaded, if permitted. However, if the file size is less than 1 MB the transaction uploading time will be very fast.
14. If there are any clarifications, this may be obtained through the site. Bidder should take into account the corrigendum published from time to time before submitting the online bids.
15. The Bidders can update well in advance, the documents such as certificates, annual report details etc., under My Space option and these can be selected as per tender requirements and then send along with bid documents during bid submission. This will facilitate the bid submission process faster by reducing upload time of bids.
16. Bidder should submit the Tender Fee/EMD as specified in the tender. The original should be posted/couriered/given in person to the Tender Inviting Authority, within the bid submission due date & time for the tender or as indicated in the tender. Scanned copy of the instrument should be uploaded as part of the offer.
17. While submitting the bids online, the bidder reads the terms & conditions and accepts the same to proceed further to submit the bid packets.
18. The bidder has to select the payment option as offline to pay the Tender Fee/EMD as applicable and enter details of the instruments.
19. The details of the DD/ any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise submitted bid will not be acceptable or liable for rejection.
20. The bidder has to digitally sign and upload the required bid documents one by one as indicated. Bidders to note that the very act of using DSC for downloading the bids and uploading their offers shall be deemed to be a confirmation they have read all sections and pages of the bid document including General conditions of contract without any exception and have understood the entire document and are clear about the requirements of the tender requirements.
21. The bidder has to upload the relevant files required as indicated in the cover content. In case of any irrelevant files, the bid will be rejected.
22. If the price bid format is provided in a spread sheet file like BoQ\_xxxx.xls, the rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Price-bid BOQ template must not be modified/replaced by the bidder; else the bid submitted is liable to be rejected for this tender.
23. The bidders are requested to submit the bids through online e-tendering system to the Tender Inviting Authority (TIA) well before the bid submission end date & time (as per Server System Clock). The TIA will not be held

*Handwritten signature*  
23/01/20



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY  
(केंद्रीय विश्वविद्यालय / A Central University)  
कुल सचिव का कार्यालय / OFFICE OF THE REGISTRAR  
तेजपुर-784028 :: असम / TEZPUR-784028 :: ASSAM

- responsible for any sort of delay or the difficulties faced during the submission of bid online by the bidders at the eleventh hour.
24. After the bid submission (i.e. after Clicking "Freeze Bid Submission" in the portal), the acknowledgement number, given by the system should be printed by the bidder and kept as a record of evidence for online submission of bid for the particular tender and will also act as an entry pass to participate in the bid opening date.
  25. The time settings fixed in the server side & displayed at the top of the tender site, will be valid for all actions of requesting, bid submission, bid opening etc., in the e-tender system. The bidders should follow this time during bid submission.
  26. All the data being entered by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered will not viewable by unauthorized persons during bid submission & not be viewable by any one until the time of bid opening.
  27. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers' public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
  28. The confidentiality of the bids is maintained since the secured Socket Layer 128-bit encryption technology is used. Data storage encryption of sensitive fields is done.
  29. The bidder should logout of the tendering system using the normal logout option available at the top right-hand corner and not by selecting the (X) exit option in the browser.
  30. For any queries regarding e-tendering process, the bidders are requested to contact as provided in the tender document. Parallely for any further queries, the bidders are asked to contact over phone: 180030702232 or send a mail over to [cppp-nic@nic.in](mailto:cppp-nic@nic.in).

*[Handwritten Signature]*  
29/01/22

Assistant Registrar-GA  
Tezpur University



**Technical Specifications cum Compliance Report**  
**(To be submitted on Company's/Firm's Letterhead Signed and Sealed)**

Item	Technical Specifications	Complied (Yes/No)	Remarks, if any;
<b>Participants Desk (for 2 user)</b>	<b>Size : L 1400mm x D 450mm x H 750mm</b> The entire unit will be designed in total modular pattern for rearrangement facility. The unit will be for two people to seat. As described, the unit will have 25mm thick top made out of plain particle board of exterior grade machine pasted with 1.2mm thick Post Form laminate in full round profile or fixed with good quality round profile wooden bit nicely polished. The side panels and modesty will be of 18mm thick pre-laminated particle board (BSL). All the exposed edges will have 2mm thick PVC edge banding and the inner edges to have 0.4 mm thick edge banding. The unit will have one no. of shelf at the bottom of the table top. The shelf will be made out of 18mm thick pre laminated particle board (OSL). The Modesty panel should be protruded above the top to minimum 75mm. All required hardware's will be of Hettich/Haffelle or equivalent brand. Electrical facility to be provided along with wire manager at specific positions. The unit is to be grouted on the floor by using stiffeners of good quality.		
<b>Chairs for Participants Desk – Single</b>	Medium back, metal frame chrome/powder coated, leatherlite upholstery, with arm rest, ergonomically designed, revolving metal/plastic stand adjustable seat back etc. (Std. Size)		
<b>Instructor – Table</b>	<b>L 1200mm x D 600mm x H 750mm</b> The table top, sides, modesty etc. of the entire unit to be fabricated out of 18mm thick pre laminated particle board of approved shade and all the exposed edges to be pasted with 2mm thick matching or contrasting shade of PVC machine finished. The Table will have one storage with one drawer and one shutter with lock and handle and will be made out of 18mm thick PLPB of approved shade of size 400mm L x 400mm D x 650mm H, the drawers will be fitted with meta-boxes of Hettich/Haffle/Ebco etc. or equivalent best quality brands. The table will rest on adjustable PVC buffer, provision of wire management to be given.		
<b>Instructor – Chair</b>	High back, metal frame chrome/powder coated, leatherlite upholstery, with arm rest, ergonomically designed, revolving metal/plastic stand adjustable seat back etc. (Std. Size)		
<b>Steel Almira</b>	<b>Size : L 900-915mm x D 450-500mm x H 1950-1980mm</b> Made out of premium quality CRCA sheet properly powder coated to 50micron with approved shade, after 7-9 tank anti rust treatment process, The entire unit will be welded to sturdy with its body out of 0.8mm thick sheet and the shutters and stiffeners and shelves out of 1mm thick sheet.		

*Ujjwal*  
23/01/22

	The unit should have 3 way bolting device with 6 way lock with 4 nos. adjustable shelves. The unit will rest on heavy duty adjustable levelers.		
<b>4 - Door Book Case</b>	4 Door Book Shelf should have the configuration of 914mm(W)x320mm(D)x1742mm(H). Top hinged doors should facilitate easy use. The Book Shelf should be made from prime quality CRCA steel with anti rusting treatment. It should have a Rigid Knock Down Construction. The Top Pannel, Back Pannel and Side Pannel should be made from 0.7mm high yield CRCA and other components from 0.8mm CRCA. Each door should have a 6 Lever Cam Lock with Common Key. 3mm thick glass should be used in each door for clear inside vision which shall be secured in a metal frame through a rubber gasket. Scissor Mechanism should be provided in each door for receding inside the top of every compartment and it should ensure parallel and smooth movement. Each door should be provided with plastic side end caps as handle which should be easy to grip. Each compartment should have a storage shelf with a UDL capacity of max 80 Kg. The 2 Door Book Shelf should have 18mm PLB Top straight edge with PVC lipping. The finishing should include Epoxy powder coated to the thickness of 50 microns (+/- 10).		
<b>Table - for Technical Person</b>	<b>L 1500mm x D 600mm x H 750mm</b> The table top, sides, modesty etc. of the entire unit to be fabricated out of 18mm thick pre laminated particle board of approved shade and all the exposed edges to be pasted with 2mm thick matching or contrasting shade of PVC machine finished. The Table will have two storages one with three drawers and the other with one drawer and one shutter with lock and handle and will be made out of 18mm thick PLPB of approved shade of size 400mm L x 400mm D x 650mm H, the drawers will be fitted with meta-boxes of Hettich/Haffle/Ebco etc. or equivalent best quality brands. The table will rest on adjustable PVC buffer, provision of wire management to be given.		
<b>Chair for Technical Person</b>	High back, metal frame chrome/powder coated, leatherlite upholstery, with arm rest, ergonomically designed, revolving metal/plastic stand adjustable seat back etc. (Std. size.)		
<b>Computer Table</b>	<b>Size : L 900mm x D 500mm x H 750mm</b> The entire unit will be designed in total modular pattern for rearrangement facility. The unit will be having its top, side, modesty etc. manufactured out of 17/18 mm thick pre-laminated particle board of approved shade. All the exposed edges will be having 2mm thick PVC edge banding nicely machine finished and fixed with hot melt glue. The unit will be having PLPB keyboard tray, provision of placing CPU, Printer and related accessories. All required hardwares will be of Hettich/Haffelle or equivalent brand.		

*Upma*  
27/01/14

<b>Wooden Platform</b>	<b>Size : L 2400mm x D 1200mm x H 400mm</b> Wooden Platform of above size made out of best quality wood pasted on a frame made of 300mmX300mm size on the floor. The wood used to be properly treated with anti termite chemicals before polishing with desired shade. The platform to be made at site using best quality of hardwares.		
<b>Book Case (Almirah with glass door)</b>	<b>Size : L 900-915mm x D 450-500mm x H 1800mm</b> Made out of premium quality CRCA sheet properly powder coated to 50micron with approved shade, after 7-9 tank anti rust treatment process, The entire unit will be welded to sturdy with its body out of 0.8mm thick sheet and the shutters and stiffeners and shelves out of 1mm thick sheet. The shutters will be glass framed with 6mm thick glass of best quality. The unit will have five nos. of shelves placed at respective positions. The unit should have 3 way bolting device with 6 way lock with 4 nos. adjustable shelves. The unit will rest on heavy duty adjustable levelers.		
<b>Library Table (Round table 4 seater)</b>	<b>Size : L 900-915mm x D 450-500mm x H 1800mm</b> Round Table for Library understructure made out of its stand with 32x32 mm thick MS square pipe of around 1.5mm thick wall thickness and the frame with 32x25mm thick MS pipe welded at specific position. The table top to be made out of Wood/MDF board of 25mm thick best quality the top to be pasted with approved shade of laminate of 1.2mm thick and the edges to be sealed with 2mm thick matching or contrasting PVC edge banding machine finished or to be polished with round corners with approved colour. The entire metal structure to be powder coated after pre-treatment with approved shade.		
<b>Library Chair</b>	Seat/back assembly: the seat and back should be made from 1.0±0.1cm. thk. hot pressed moshould be ture resistant tant.commercial plywood and upholstered with p.u. foam and fabric. back size: 42.0cm. (w) x 26.5cm. (h) seat size: 42.0cm. (w) x 42.0cm. (d) 2)high resilience (hr) polyurethane foam: the hr polyurethane foam should be moulded with density =45+1-2 kg/m <sup>3</sup> and hardness load 16 ± 2 kgf for 25% compression. 3)understructure assembly: the understructure assembly should be a cantilever type mainframe made of 0 2.54 ±0.03cm. x 0.2 ±0.016cm.thk. m.s. e.r.w. tube and black powder coated--( dft 40-60 microns )		
<b>Round Table (Modular pattern - 12 seater)</b>	<b>Size : L 900-915mm x D 450-500mm x H 1800mm</b> Round Table for Library understructure made out of its stand with 32x32 mm thick MS square pipe of around 1.5mm thick wall thickness and the frame with 32x25mm thick MS pipe welded at specific position. The table top to be made out of Wood/MDF board of 25mm thick best quality the top to be pasted with approved shade of laminate of 1.2mm thick and the edges to be sealed with 2mm thick matching or		

*Signature*  
23/01/20

	contrasting PVC edge banding machine finished or to be polished with round corners with approved colour. The entire metal structure to be powder coated after pre-treatment with approved shade.		
<b>Printer Table</b>	<b>Size : L 900mm x D 450mm x H 750mm</b> The table to be made out of its top, side, shelves etc with 18mm thick pre laminated particle of approved shade, with all the exposed edges sealed with 2 mm thick PVC edge banding machine finished with hot melt glue. The entire unit to be assemble with using best quality of hardware's.		
<b>Participants - Table (Horseshoe table for 45 participants)</b>	<b>Size : L 13500mm x D 1800mm x H 750mm</b> The entire unit will be designed in total modular pattern for rearrangement facility. The unit will be for two people to seat. As described, the unit will have 25mm thick top made out of plain particle board of exterior grade machine pasted with 1.2mm thick Post Form laminate in full round profile or fixed with good quality round profile wooden bit nicely polished. The side panels and modesty will be of 18mm thick pre-laminated particle board (BSL). All the exposed edges will have 2mm thick PVC edge banding and the inner edges to have 0.4 mm thick edge banding of Rehau or equivalent make and should be machine pasted with hot melt glue. The entire process is done with through feed edge banding machine. The unit will have one no. of shelf at the bottom of the table top. The shelf will be made out of 18mm thick pre laminated particle board (OSL). The Modesty panel should be protruded above the top to minimum 75mm. All required hardware's will be of Hettich/Haffelle or equivalent brand. Electrical facility to be provided along with wire manager at specific positions. The unit is to be grouted on the floor by using stiffeners of good quality. The front side of the modesty panel will be For further clarifications please contact the department and visit site.		
<b>Seminar Room Chair</b>	<b>SEAT/BACK ASSEMBLY:</b> The seat is made up of 1.2 +/-0.1 cm thick hot pressed plywood upholstered with fabric and moulded Polyurethane Foam with PVC lipping all around. The back foam is designed with countoured lumbar support for extra comfort. PCH-7004 size:49.0cm(W) x 47.0cm(H) & Seat size : 49.0cm(W) & 44.0cm(D).ii)HIGH RESILIENCE (HR) POLYURETHANE FOAM : The HR polyurethane foam is moulded with density 45+/-kg/m <sup>3</sup> and hardness load 16+/- 2 kgf for 25% compression. iii)TUBULAR FRAME :The tubular frame is cantilever type & made of dia 2.54+/-0.03cm x 0.2 +/- 0.016cm MS ERW tube and black powder coated.The armrest tube of dia 2.54+/- 0.03cm x 0.2 +/-0.016 cm MS ERW tube welded to mainframe. The desklet is fitted on the right hand side .iv) DESKLET ASSEMBLY:The wooden desklet is made up of 1.8 +/-0.05 cm thick pre laminated particle board with 0.15 +/-0.03 cm thick with PVC lipping all		

*Y. M. W.*  
29/01/20



	<p>around.v) ARMREST: The one piece armrests are made of black integral skin polyurethane foam with 50-70 shore hardness and reinforced with MS insert. The armrests are scratch and weather resistant. vi) PAPER TRAY: The paper tray is made of dia 0.4cm MS wire spot welded to form a mesh. It is black powder coated.</p>		
Reception Table	<p><b>Size : L 2100mm x D 900mm x H 1100mm</b></p> <p>The unit as described will have The top fabricated out of 25mm thick raw particle board of exterior grade pasted with 1.2 mm thick Flex laminate of approved shade machine finished and balancer at bottom, the sides and the gavel ends are to be made out of 25mm thick PLPB of same of contrasting shade as approved by the authority, the modesty, shelves and fascia are to be made out of 18mm thick PLPB of exterior grade of approved shade. All the exposed edges will have 2mm thick PVC edge banding and the inner edges to have 0.4 mm thick edge banding of Rehau or equivalent make and should be machine pasted with hot melt glue. Two nos of three drawers Pedestal unit to be placed with each unit. The entire pedestal unit with its top, bottom, side, fascia to be made out of 18mm thick PLPB of approved shade. The pedestal will rest on castors. Single multi drawer locking facility should be provided.</p> <p>The structure as described will have a two tier table top, the top one will be placed at a height of 350mm from the base top. In each table one person is to be seated with leg space and ample space to work on the base table top. <b>The essence of the table will be an add-on decoration on the front side of the modesty panel with or without LED light strip with it to increase the aesthetic value of the unit. Participants to provide elevated colored drawing of the unit with their bid document.</b></p> <p>Complete electrification as described to done on the unit in concealed pattern with two nos. of switch &amp; sockets for each person at respective locations as directed.</p> <p>The unit is to be in module pattern and to be assembled with best quality of hardware's and hinges.</p>		
Chair	<p>Medium back, metal frame chrome/powder coated, leatherlite upholstery, with arm rest, ergonomically designed, revolving metal/plastic stand adjustable seat back etc. (Std. Size)</p>		
Sofa Set for Guests (3 + 1 + 1)	<p>The sofa should be compact and provides a great degree of comfort and convenience. The rubber wood fascia and contoured armrest gives a deeper definition and adds elegance to the sofa. sofa should be truly tryst with magnificence.It should be having synthetic leather upholstery and countoured armrest .It's material is rubberwood fascia.The dimensions are: 1 seater -</p>		

Upr  
29/01/2024

	920mm(W)x 860mm(D)x 800mm(H) & 3 seater- 1750mm(W)x 860mm(D)x 800mm(H).		
<b>Centre Table</b>	materials & dimension (+/- 2mm)- 1100*645*450*440*210*10 chair frame materials & size:- table legs materials & size : metal round tube-l x w x t-dia25x1.2 Preferred color : chrome table top materials & size : (density / type) oval glass- l x w x t -top: 1100x650x10mm l x w x t-600x400x8mm Preferred color : partial black color: full black bottom finishing: black top and chrome frame and legs		

*Uptm*  
*23/01/24*

ET-NIQ-.....DT.....

**LIST OF DOCUMENTS/CERTIFICATES ATTACHED/UPLOADED**

Sl. No	Documents/Certificates	Attached (Yes/ if Not why,)	Page/Appendix No. (if attached)
1	Copies of the purchase orders		
2	Dealership Certificate		
3	Quality & Safety Certificates:		
	1		
	2		
	3		
	4		
	5		
	6		
	7		
	8		
4	GSTN		
5	PAN/TAN		
6	Tender Fee		
7	EMD		
8	Technical Literature		
9	Manufacturing Authorization Form		
10	Certificate or undertaking of not being blacklisted		
11	Financial Turnover		

***Note: Bidders may add additional rows/columns if required.***